

Strait Regional Centre for Education Ventilation Reporting Summary

School Name	System Type (Active or Natural)	Inspection completed as of August 31, 2023? (Yes or No)	Maintenance Complete? (Yes / No / N/A*)	System Operating as Intended? (Yes or No)
Antigonish Education Centre	Active	Yes	Yes	Yes
Bayview Education Centre	Active	Yes	Yes	Yes
Cape Breton Highlands Education Centre / Academy	Active	Yes	Yes	Yes
Chedebucto Education Centre / Guysborough Academy	Active	Yes	Yes	Yes
Dalbrae Academy	Active	Yes	Yes	Yes
Dr J H Gillis Regional High School	Active	Yes	Yes	Yes
East Antigonish Education Centre / Academy	Active	Yes	Building ventilation operational. Four air handling units operational, one is scheduled for repair.	Building ventilation operational. Four air handling units operational, one is scheduled for repair.
East Richmond Education Centre	Active	Yes	Yes	Yes
Fanning Education Centre / Canso Academy	Active	Yes	Yes	Yes
Felix Marchand Education Centre	Active	Yes	Yes	Yes
H.M. MacDonald Elementary School	Natural	Yes	N/A	Yes
Inverness Education Centre / Academy	Active	Yes	Yes	Yes
Pleasant Bay School	Active	Yes	Yes	Yes
Richmond Education Centre / Academy	Active	Yes	Yes	Yes
Strait Area Education Recreation Centre	Active	Yes	Yes	Yes
St. Andrews Consolidated School	Active	Yes	Yes	Yes
St. Andrews Junior School	Active	Yes	Yes	Yes
St. Mary's Education Centre / Academy	Active	Yes	Yes	Yes
Tamarac Education Centre	Active	Yes	Yes	Yes
Whycocomagh Education Centre	Active	Yes	Yes	Yes

*N/A – Inspection Complete. No maintenance required.

September 7, 2023